





SAVOY

**CAST METAL™**  
3D METALLIC WALL TILE & MOSAICS

METALLIC LOOK




Lantern Mixed-Pewter



METALLIC LOOK

## 3x6


### PLAIN




### GROOVED



### COLUMN



### RAIL




## 2x6

### PLAIN




### OBLIQUE



### PLEATED



## 2x6 Bevelled



4x4

PLAIN



CLOVER



ROSETTE




FLOWER



Trapezoid

PLAIN



GROOVED



COLUMN



RAIL



## 3D Hexagon



Bronze



Nickel



Oil Rubbed  
Bronze



Pewter

## Penny Round



Bronze



Nickel



Oil Rubbed  
Bronze



Pewter

## Octave

### PLAIN



### CLOVER



### ROSETTE



### FLOWER



## Shell

PLAIN



ROSETTE



CLOVER



FLOWER



## Rhomboid



## Lantern

PLAIN



ROSETTE





CLOVER



FLOWER




**Product Details**

Item Name	Mesh Size (mm)	Pcs / Box	Box Quantity / Crate	Pcs / Crate	Box Dimension (cm)	Crate Dimension (cm)
2 x 6	305 x 305	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
2 x 6 BEVELLED	305 x 305	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
LANTERN	310 x 220	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
SHELL	270 x 270	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
PENNY ROUND	310 x 310	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
OCTAVE	305 x 265	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
RHOMBOID	380 x 220	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
3D HEXAGON	255 x 245	5	24	120	40 x 33 (H= 8)	90 x 76 x 64
TRAPEZOID	300 x 270	5	24	120	40 x 33 (H= 8)	90 x 76 x 64

Item Name	Pcs / Box	Quantity / Crate	Pcs / Crate	Box Dimension (cm)	Crate Dimension (cm)
4 x 4	25	48	1200	20 x 17 (H= 17)	90 x 76 x 64
3 x 6	50	48	2400	20 x 17 (H= 17)	90 x 76 x 64

**Technical Information**

TEST	CAST METAL
ASTM C373 Water Absorption (TS EN ISO 10545 - 3)	%0.05
ASTM C1026 Frost Resistance (TS EN ISO 10545 - 12)	Resistance
MOHS SCALE Scratch Resistance	2
ASTM C1027 Abrasion Resistance (TS EN ISO 10545 - 7)	Class 0
ASTM C650 Chemical Resistance (TS EN ISO 10545 - 13)	Household Chemicals B Swimming Pool Salts B Acide & Base C
ASTM C1378 Stain Resistance (TS EN ISO 10545 - 14)	Stains leaving a trace Class 5 Stains forming a film Class 5 Stains having chemical and oxidizing action Class 1

**Applications**

Walls	Suitable ✓
-------	------------

**Application Notes**

Suitable for interior only when proper installation methods are followed.

**Notes**

Oil, water, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection. For installation go and check our INSTALLATION, USE & CARE INSTRUCTIONS.